

Gobbler Ridge – Planting #83 (2008) Updated for 2009
By Bernie Buchholz 12/8/09

1. Serious erosion due to grade change and heavy rains, primarily on first 25 meters along east edge; ruts 8" deep/14" wide and up to 10 meters long; poor germination in this area and the first 20 meters along the south edge abutting FFK; throughout most of the planting the number of juveniles appeared well below the 3 prior plantings.
2. Large numbers of Queen Ann's lace and yarrow, possibly attributable to FFK seed source; low profile clovers are also plentiful; Cindy and I cut and painted with herbicide ~2,500 such weeds; many yarrow still visible.
3. Strikingly high number of juvenile lead plants (Amo can)
4. May have seen a few New Jersey tea (Cea ame) and aromatic sumac (Rhu aro) juveniles
5. Heavy overseeding of erosion area

GOBBLER RIDGE - PLANTING #83 (2008) prepared by
Bernie Buchholz 2/21/09

1. Location & Conditions: 7.0 acres immediately west of Planting #75; see #75 history for detailed location, soil types and agricultural history.

Topography: gentle decline in elevation from western edge to gentle drainage swale that roughly splits site diagonally from mid-northwest to southeast corner; elevation varies approximately 15 feet. Southern edge abuts north side of Fame Flower Knob.

2. Site Preparation and Planting Time Line

October 18/19: corn harvested
October 24: corn stubble mowed

November 3: corn stubble burned: good burn, about 90% coverage

November 19: harrowed: 2 passes

November 19: planted with pendulum spreader, 3 passes: first two at level #24 and 3rd at level# 32 all at relatively high tractor speed

November 20: one full pass and ½ pass at level #32 at high tractor speed

Note: we were too conservative with initial planting rates; ideally we would make 2 to 2.5 total planting passes at more deliberate (ie, slower) tractor speed

November 20: harrowed to cover seed; one pass

November 20, 21, 22, ~ December 1, 5, 10: hand plant, approximately 22 hours

3. Seed List: attached:

GR Planting#83(2008)SeedList.xls

See Column M for 2008 seed collected; Columns J (2006) and K (2007) are included for comparison

157 species planted

318.39 pounds collected, less approx. 15 pounds used to (1) overseed the two track in GR Planting #68 (2006) & (2) overseed drainage swale in GR Planting #75 (2007): therefore, net of 303 pounds planted in GR Planting #83 or 43 pounds per acre: 38.2 pounds forbs and non-dominate grasses and 4.8 pounds of little blue per acre

4. New Species collected in 2008 (ie, new to Gobbler Ridge):

Asclepias hirtella – tall green milkweed

Asclepias Sullivanti – prairie milkweed*

Carex Richardsonii – prairie hummock sedge
Ceanothus Americanus – New Jersey tea
Diarrhena americanus – beak grass/beak grain
Draba reptans – whitlow cress/ whitlow grass
Hypoxis hirsuta – yellow star grass
Rhexia Virginica – meadow beauty*
Rhus aromatica – aromatic sumac
Rhus glabra – smooth sumac
Salix humilis – prairie willow
Solidago gymnopermoides – viscid grass leaved gr
Triosteum aurantiacum – early horse gentian**
Viola pedatifida – prairie violet

* = FU- & ** = Sav: these species not for GR sand hill plantings

5. Seed Collection/Treatment:

Nine bark (Phy opu) seed mature/available into early winter; avoid picking too early
Lance leaved loosestrife (Lys lan) seed darkened (browned) considerably 4-6 weeks after the green seeds we first picked; delay harvesting
picked western sunflower (Hel occ) earlier w/ some seed heads not brown per C Houser
observed that both lithospermums are available well later than initial picking, esp at Damien's
seeded 1/3 of NJ tea (Cea Ame) as-is before burning corn stuble and seeded 2/3 scarified at 170'F planted in mix

6. Lessons Learned/Misc

Start pendulum spreader at level #28
Wear supportive clothing for bouncy tractor ride
False toadflax (Com umb) seed to Creekmur for germination/plugs

7. 2009 Goal

Increase planting of schrubs
Identify optimum seed list for mesic planting in 2011

SCIENTIFIC NAME	COMMON NAME	08 LBS	09 LBS	2008/2009 NOTES
<i>Agastache scrophulariaefolia</i>	Purple Giant Hyssop			
<i>Agrimonia gryposepala</i>	Tall (?) Agrimony	0.10		
<i>Agrimonia pubescens</i>	Soft Agrimony			
<i>Allium canadense</i>	Wild Garlic	0.15		
<i>Allium cernuum</i>	Nodding Wild Onion	1.65		
<i>Amelanchier leavis</i>	Allegheny Shadblow	0.05		50 seeds
<i>Amorpha canescens</i>	Leadplant	16.20	0.35	
<i>Amorpha fruticosa</i>	Indigo Bush			
<i>Andropogon gerardii</i>	Big Bluestem; Turkeyfoot			intentionally not collected
<i>Andropogon</i> (<i>Schizachyrium</i>) <i>scoparium</i>	Little Bluestem	35.00		
<i>Anemone canadensis</i>	Meadow Anemone		0.01	
<i>Anemone cylindrica</i>	Thimbleweed	2.70		
<i>Anemone virginiana</i>	Tall Thimbleweed	0.05		
<i>Antennaria neglecta</i>	Field Cat's Foot	0.50		
<i>Antennaria plantaginifolia</i>	Pussy Toes (Everlasting)	0.80		
<i>Apocynum</i> <i>androsaemifolium</i>	Spreading Dogbane	0.05		
<i>Apocynum cannabinum</i> (X medium)	Dogbane (Indian Hemp)	0.10	0.40	
<i>Aristida purpurascens</i>	Arrow Feather	4.85		
<i>Aronia (Pyrus) prunifolia</i> (<i>melanocarpa</i>)	Black Chokeberry	0.45		
<i>Artemisia caudata</i> (<i>campestris</i>)	Beach Wormwood	0.75		
<i>Asclepias amplexicaulis</i>	Sand Milkweed	0.01		~/70 seeds
<i>Asclepias hirtella</i>	Hairy Green Milkweed	0.01		2 pods
<i>Asclepias tuberosa interior</i>	Butterfly Weed	0.01		50 seeds from Sally Baumgartner some stems
<i>Asclepias verticillata</i>	Whorled Milkweed	1.85		
<i>Asclepias viridiflora</i>	Short Green Milkweed			
<i>Aster azureus</i> (<i>oolentangiensis</i>)	Sky-blue Aster	5.05		
<i>Aster ericoides</i> (<i>prostratus</i>)	Heath Aster	6.15		
<i>Aster laevis</i>	Smooth (Blue)(Silky) Aster	0.85		
<i>Aster linariifolius</i>	Stiff Aster (Flax-Leaved)	1.85		Includes parts of stems
<i>Aster novae-angliae</i>	New England Aster			
<i>Aster oblongifolius</i>	Aromatic Aster	0.40		
<i>Aster ptarmicoides</i>	White Aster (Stiff Aster)	0.05		
<i>Aster sericeus</i>	Silky Aster	2.15		
<i>Astragalus canadensis</i>	Canadian Milk Vetch	1.55		
<i>Baptisia leucantha</i>	White Wild Indigo	5.25		
<i>Baptisia leucophaea</i>	Cream Wild Indigo	8.50		
<i>Bouteloua curtipendula</i>	Side-Oats Grama	3.80		
<i>Bouteloua hirsuta</i>	Hairy Grama	0.20		
<i>Cacalia atriplicifolia</i>	Pale Indian Plantain	0.40		
<i>Cacalia plantaginea</i> (<i>tuberosa</i>)	Indian Plantain		0.10	
<i>Cacalia suaveolens</i>	Sweet-scented Indian Plantain			In 2008, plant in "Obligate" habitat; from sedge meadow
<i>Callirhoe triangulata</i>	Clustered Poppy Mallow	0.01		25 seed heads/150 seeds

SCIENTIFIC NAME	COMMON NAME	08 LBS	09 LBS	2008/2009 NOTES
<i>Carex bicknellii</i>	Copper-shouldered oval Sedge	0.70		
<i>Carex muhlenbergii (enervis)</i>	Sand Bracted Sedge (Muhlenberg's)	1.85		
<i>Carex pennsylvanica</i>	Common Oak (Penn) Sedge	0.60		1 pint w/much grass
<i>Carex richardsonii</i>	Prairie Hummock sedge	0.01		
<i>Carya ovata</i>	Shagbark Hickory			pick & plant
<i>Castilleja sessiliflora **</i>	Downy Yellow Painted Cup	0.10		
<i>Ceanothus americanus</i>	New Jersey Tea	2.40		scarification w/ 170 water
<i>Chrysopsis camporum</i> (<i>Heterotheca</i>)	Golden Prairie Aster	0.35		
<i>Cirsium hillii *** (pumilum)</i>	Hill's Thistle	0.10		
<i>Comandra umbellata</i> (richardsiana)	False Toadflax	0.01		
<i>Coreopsis lanceolata</i>	Sand Coreopsis	0.10		
<i>Coreopsis palmata</i>	Prairie Coreopsis	2.15	0.60	
<i>Coreopsis tripteris</i>	Tall Coreopsis	0.30	0.20	
<i>Corylus americana</i>	American Hazelnut			
<i>Cyperus filiculmis</i>	Slender Sand Sedge	0.30		
<i>Danthonia spicata</i>	Poverty Oat Grass	0.95		
<i>Desmodium canadense</i>	Showy Tick Trefoil			intentionally not collected
<i>Desmodium illinoense</i>	III. Tick Trefoil	1.00		
<i>Dodecatheon meadia</i>	Shooting Star	0.60		
<i>Echinacea pallida</i>	Pale Purple Coneflower	60.75		
<i>Elymus canadensis</i>	Prairie Wild Rye	3.60		
<i>Elymus villosus</i>	Silky Wild Rye			plant in savanna
<i>Elymus virginicus</i>	Va. Wild Rye		0.90	
<i>Eragrostis spectabilis</i>	Purple Love Grass	1.50		primarily Era. spe. with witch grass
<i>Erigeron strigosus</i>	Daisy Fleabane	0.40		
<i>Eryngium yuccifolium</i>	Rattlesnake Master		0.40	
<i>Eupatorium altissimum</i>	Tall Boneset			
<i>Eupatorium perfoliatum</i>	Boneset	0.30		
<i>Euphorbia corollata</i>	Flowering Spurge	4.55	2.20	
<i>Festuca obtusa</i> (<i>subverticillata</i>)	Nodding Fescue	0.01		plant in savanna
<i>Gaura biennis pitcheri</i> (<i>longiflora</i>)	Common Gaura	0.15		/w stem
<i>Gentiana (alba) flavidia</i>	Cream Gentian	0.20		
<i>Gentiana (Gentianopsis) crinita</i>	Fringed Gentian			plant in flood plain
<i>Gentiana purberulenta</i>	Prairie Gentian	0.05		
<i>Gnaphalium obtusifolium</i>	Sweet Everlasting (Old-Field Balsam)	1.50		
<i>Helianthemum bicknellii</i>	Rockrose (Frostweed)	0.20		
<i>Helianthemum canadense</i>	Common Rockrose (Frostweed)	2.20	0.20	
<i>Helianthus hirsutus</i>	Hispid sunflower	0.05		
<i>Helianthus occidentalis</i>	Western Sunflower; Naked S.	2.35		
<i>Helianthus rigidus</i> (<i>laetiflorus</i>)	Prairie Sunflower	0.05		
<i>Helianthus tuberosus</i>	Jerusalem Artichoke			uncertain ID; planted in sav

SCIENTIFIC NAME	COMMON NAME	08 LBS	09 LBS	2008/2009 NOTES
<i>Heliopsis helianthoides</i>	False Sunflower; " Ox-eye "	2.40		
<i>Heuchera richardsonii</i>	Rough Heuchera; Alum root	0.05		
<i>grayana</i>				
<i>Hieracium gronovii</i>	Hairy Hawkweed	0.15		
<i>Hieracium longipilum</i>	Long-Bearded Hawkweed	0.01		uncertan ID vs. H. gro.
<i>Houstonia (Hedyotis)</i>				
<i>longifolia (canadense)</i>	Long-Leaved Bluets	0.10		
<i>Hypoxis hirsuta</i>	Yellow Star Grass	0.01		50 seeds
<i>Hystrix patula (Elymus</i>	Bottlebrush Grass			plant in savanna
<i>hystrix)</i>				
<i>Isanthus (Trichostema)</i>	False Pennyroyal	0.10		
<i>brachiatus (m)</i>				
<i>Juncus greenei</i>	Greene's Rush	1.25		Incorrect id as jun int in '06/seed only
<i>Juncus interior</i>	Inland Rush			
<i>Juncus tenuis</i>	Path Rush	0.01		
<i>Koeleria cristata (macrantha)</i>	Prairie June Grass	2.95		Mistakenly overplanted; intended 2.5 lbs.
<i>Krigia virginica</i>	Dwarf Dandelion	0.01		
<i>Kuhnia (Brickellia)</i>	False Boneset	1.00	0.45	~0.5 cup fluffed/1.5 cup
<i>eupatoroides corymbulosa</i>				
<i>Lechea stricta</i>	Bushy Pinweed	0.10		
<i>Lechea tenuifolia</i>	Slender-Leaved Pinweed	0.30		
<i>Lechea villosa (mucronata)</i>	Hairy Pinweed	0.10		
<i>Lespedeza capitata --</i>	Round-headed Bush Clover	7.85		
<i>Liatris aspera</i>	Rough Blazing-star (Rough Gayfeather)	35.80		
<i>Liatris cylindracea</i>	Dwarf Blazingstar	0.35		
<i>Liatris pycnostachya</i>	Tall Gayfeather; Prairie Blazing Star		1.05	
<i>Linaria canadensis</i>	Blue Toadflax	0.01		
<i>Linum sulcatum</i>	Groved Yellow Flax	0.15		
<i>Lithospermum canescens</i>	Hoary Puccoon	0.01		
<i>Lithospermum incisum</i>	Fringed (Narrow-leaved) Puccoon	0.01		
<i>Lobelia inflata</i>	Indian Tobacco	0.05		
<i>Lobelia spicata</i>	Pale-spike Lobelia	0.01	0.10	
<i>Lupinus perennis</i>	Wild Lupine	0.15		
<i>Lysimachia lanceolata</i>	Lance-Leaved Loosestrife	0.45		
<i>Lysimachia quadriflora</i>	Narrow-Leaved (Whorled) Loosestrife			
<i>Monarda fistulosa</i>	Wild Bergamot		0.20	intentionally not collected
<i>Monarda punctata villicualis</i>	Horse Mint	2.00	0.0 0.25	
<i>Napaea dioica</i>	Glade Mallow		0.20	
<i>Oenothera biennis</i>	Common Evening Primrose	0.15		
<i>canescens</i>				
<i>Oenothera clelandii</i>	Sand Evening Primrose	0.15		
<i>(rhombipetala)</i>				
<i>Onosmodium hispidissimum</i>	Marbleseed	0.35	0.01	
<i>Opuntia humifusa</i>	Prickly Pear Cactus			
<i>(compressa)</i>				
<i>Oxalis violacea</i>	Violet Wood-sorrel	0.60		

SCIENTIFIC NAME	COMMON NAME	08 LBS	09 LBS	2008/2009 NOTES
<i>Panicum capillare</i>	Old Witch Grass	0.05		
<i>Panicum leibergii</i>	Prairie Panic Grass	1.20		
<i>Panicum oligosanthes scribneria</i>	Scribner's Panic Grass	1.05		lots of leaf weight/Meiner's '09
<i>Panicum perlongum</i>	Long-stalked Panic Grass	0.01		
<i>Panicum villosum</i>	White-Haired Panic Grass	0.70		
<i>Panicum virgatum</i>	Prairie Switch Grass	0.05		
<i>Parthenium integrifolium</i>	Wild Quinine (Feverfew)	12.00	0.90	
<i>Paspalum ciliatifolium muhlenbergii</i>	Hairy Lens Grass	0.60		
<i>Pedicularis canadensis</i>	Wood Betony	0.10		
<i>pedicularis canadensis</i>	wood betony	0.05		
<i>Penstemon digitalis</i>	Foxglove Beardtongue	0.60		
<i>Penstemon hirsutus</i>	Hairy Beard tongue	0.80		uncertain ID P. hir vs P. pal
<i>Penstemon pallidus</i>	Pale Beard Tongue	0.01		uncertain ID P. hir vs P. pal
<i>Petalostemum (Dalea) candidum</i>	White Prairie Clover	0.55	0.10	
<i>Petalostemum (Dalea) purpureum</i>	Purple Prairie Clover	6.10	1.45	
<i>Phlox maculata</i>	Sweet William Phlox	0.01		
<i>Physocarpus opulifolius</i>	Ninebark	0.25		
<i>Polemonium reptans</i>	Jacob's Ladder			
<i>Polygala incarnata **</i>	Pink Milkwort	0.01		5-8 seeds from main unit 7/25/07
<i>Polygala polygama obtusata</i>	Purple Milkwort	0.01		
<i>Polygala sanguinea</i>	Field Milkwort	0.15		2 cups/8 cups (2 bags)
<i>Polytaenia nuttallii</i>	Prairie Parsley	0.01		
<i>Potentilla arguta</i>	Prairie Cinquefoil	0.25	0.15	
<i>Prenanthes aspera</i>	Rough White Lettuce			
<i>Prunus americana</i>	Wild Plum			
<i>Pycnanthemum tenuifolium</i>	Narrow-leaved Mountain Mint	0.30	1.55	
<i>Quercus alba</i>	White Oak			
<i>Quercus macrocarpa</i>	Bur Oak			
<i>Quercus velutina</i>	Black Oak			
<i>Rhus aromatica</i>	Fragrant sumac	0.10		2 cups
<i>Rhus glabra</i>	Smooth Sumac	0.55		
<i>Rosa carolina</i>	Pasture Rose	8.60		
<i>Rudbeckia hirta</i>	Black-eyed Susan	0.40		
<i>Rudbeckia subtomentosa</i>	Sweet Blackeyed Susan	0.40	0.20	
<i>Ruellia humilis</i>	Wild Petunia			
<i>Salix humilis</i>	Prairie Willow	0.05	0.20	
<i>Scrophularia lanceolata</i>	Early figwort	1.35		
<i>Scrophularia marilandica</i>	Late Figwort	0.25		Dahlberg ROW; uncertain ID vs Scr. Lan.
<i>Scutellaria parvula leonardi</i>	Small Skullcap	0.01		
<i>Senecio pauperculus</i>	Balsam Ragwort	0.15		
<i>Silene antirrhina</i>	Sleepy Catchfly	0.05		
<i>Silphium integrifolium</i>	Rosinweed	1.70		
<i>Silphium laciniatum</i>	Compass plant	3.00		
<i>Silphium terebinthaceum</i>	Prairie Dock			
<i>Sisyrinchium albidum</i>	Common Blue-eyed Grass	0.25		

SCIENTIFIC NAME	COMMON NAME	08 LBS	09 LBS	2008/2009 NOTES
<i>Solidago (Euthamia) graminifolia nuttallii</i>	Grass-leaved Goldenrod	2.55	1.00	
<i>Solidago gymnospermoides</i>	Viscid Grass-leaved Goldenrod	2.35	4.00	
<i>Solidago missouriensis fasciculata</i>	Missouri Goldenrod	1.45		
<i>Solidago nemoralis</i>	Gray Goldenrod; Oldfield	3.20		
<i>Solidago rigida</i>	Stiff Goldenrod			
<i>Solidago speciosa</i>	Showy Goldenrod	1.00		
<i>Sorghastrum nutans</i>	Indian Grass			intentionally not collected; incidental from seed stripper
<i>Specularia (Triodanis) perfoliata</i>	Venus' Looking Glass	0.01		
<i>Spiraea alba</i>	Meadowsweet			
<i>Sporobolus heterolepis</i>	Prairie Dropseed	0.50		
<i>Stipa spartea</i>	Porcupine Grass	0.30		
<i>Talinum rugospermum</i> ***	Sand Fameflower			
<i>Tephrosia virginiana</i>	Goat's Rue	3.65		
<i>Teucrium canadense</i>	American Germander (Wood Sage)			plant in savanna
<i>Tradescantia ohiensis</i>	Ohio Spiderwort	7.90		
<i>Triosteum aurantiacum</i>	Early Horse Gentian (Orange-fruited)(Feverwort)(Tinker's Weed)	0.01		
<i>Triosteum perfoliatum</i>	Horse Gentian (Feverwort)(Tinker's Weed)	1.50		
<i>Tsuga canadensis</i>	Hemlock			
<i>Verbena hastata</i>	Blue Vervain		0.65	
<i>Verbena stricta</i>	Hoary Vervain	3.55		
<i>Verbena urticifolia</i>	Hairy White Vervain	0.35		
<i>Veronicastrum virginicum</i>	Culver's Root	0.10	1.35	
<i>Viburnum prunifolium</i>	Black Haw			
<i>Viola fimbriatula</i>	Sand Violet	0.01		
<i>Viola pedata lineariloba</i>	Birdsfoot Violet	0.01		
<i>Viola pedatifida</i>	Prairie Violet	0.01		
<i>Viola sagittata</i>	Arrow-leaved violet	0.01		
<i>Vulpia octoflora tenella</i>	Six-weeks fescue			
<i>Wulfenia bullii *** (Besseyea)</i>	Kittentails	0.35		
<i>Zizia aptera</i>	Heart-leaved Meadow Parsnip	0.35		
<i>Zizia aurea</i>	Golden Alexanders	0.01		
Mesic Mix	Mesic mix		1.35	
		318.4	20.27	